

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L30	33991	700/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 07:54
27	BRS	L31	124	30 and (icon or (visual\$4 near2 represent\$6)) near2 (creat\$6 or generat\$6 or implement\$5 or establish\$6 or construct\$6 or build\$5)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 07:56
28	BRS	L32	776	(data adj sources!) and database and (stream near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:38
29	BRS	L33	2	31 and 32	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 07:59
30	BRS	L34	241	15 and 32	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 07:59

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L35	99	34 and document\$5 and (streams! near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:29
32	BRS	L36	28087	analy\$6 adj2 (techniques! or tools! or functions! or operations! or operators or processes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:40
33	BRS	L37	12254	analy\$6 adj2 (tools! or functions! or operations! or operators or processes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:33
34	BRS	L38	3	((visual\$4 near2 represent\$6) near2 (creat\$6 or generat\$6 or implement\$5 or establish\$6 or construct\$6 or build\$5)) with (analy\$6 near2 (information or technique or tool or function or network or operation or operator or process))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:11
35	BRS	L40	161	30 and ladder adj logic	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:14

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L39	6	((visual\$4 near2 represent\$6) near2 (creat\$6 or generat\$6 or implement\$5 or establish\$6 or construct\$6 or build\$5)) same (analy\$6 near2 (information or technique or tool or function or network or operation or operator or process))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 08:13
37	BRS	L41	939	((image or icon or (visual\$4 near2 represent\$6)) near2 (creat\$6 or generat\$6 or implement\$5 or establish\$6 or construct\$6 or build\$5)) same (analy\$6 near2 (information or technique or tool or function or network or operation or operator or process))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 08:16
38	BRS	L42	133	40 not @ad>19991130	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 08:19
39	BRS	L43	7	42 and 37	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 08:16
40	BRS	L44	190	37 and 41	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 08:19

	Type	L #	Hits	Search Text	DBs	Time Stamp
41	BRS	L45	110	44 not @ad>19991130	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:26
42	BRS	L46	26	45 and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:01
43	BRS	L47	222	32 and document\$5 and (streams! near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:30
44	BRS	L48	13	47 and document adj (id or identif\$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:31
45	BRS	L49	5	48 and number near documents!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
46	BRS	L50	5	3 and document adj (id or identifier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:42
47	BRS	L51	4	50 and number near documents!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:35
48	BRS	L53	0	52 and (data adj sources!) and database and (stream near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:34
49	BRS	L52	1	51 and analy\$6 adj2 (tools! or functions! or operations! or operators or processes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:35
50	BRS	L54	3	3 and (data adj sources!) and database and (stream near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:47

	Type	L #	Hits	Search Text	DBs	Time Stamp
51	BRS	L55	0	54 and number near documents!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:48
52	BRS	L56	2	54 and analy\$6 adj2 (tools! or functions! or operations! or operators or processes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:35
53	BRS	L57	32	32 and ((data adj source) same (database and (streams! near data)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:39
54	BRS	L58	53849	analy\$6 near (information or technique or tool or functions! or operations! or operators or processes! or network)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:41
55	BRS	L59	12	57 and analy\$6 near (information or technique or tool or functions! or operations! or operators or processes! or network)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:45

	Type	L #	Hits	Search Text	DBs	Time Stamp
56	BRS	L60	0	59 and document adj (id or identifier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:43
57	BRS	L61	1	52 and document adj (id or identifier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:48
58	BRS	L62	11	59 and document	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:44
59	BRS	L63	17	57 and analy\$6 near2 (information or technique or tool or functions! or operations! or operators or processes! or network)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:52
60	BRS	L64	5	3 and databases! and (stream near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:49

	Type	L #	Hits	Search Text	DBs	Time Stamp
61	BRS	L65	0	64 and document adj (id or identifier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:53
62	BRS	L66	0	64 and number near documents!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:58
63	BRS	L68	537	databases! and (streams! near data) and documents!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:55
64	BRS	L69	254	68 and analy\$6 near2 (information or technique or tool or functions! or operations! or operators or processes! or network)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:56
65	BRS	L70	7	69 and document adj (id or identifier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
66	BRS	L71	1603	databases! and (streams! near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:56
67	BRS	L72	966	database and (streams! near data) and documents!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:57
68	BRS	L73	17	72 and document adj (id or identifier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:58
69	BRS	L74	7	73 and analy\$6 near2 (information or technique or tool or functions! or operations! or operators or processes! or network)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:00
70	BRS	L75	1717	database and (streams! near data) and document\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:05

	Type	L #	Hits	Search Text	DBs	Time Stamp
71	BRS	L76	18	75 and document adj (id or identifier)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:58
72	BRS	L77	66	75 and number near documents!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:59
73	BRS	L78	0	75 and (number near documents!) with vusual\$2	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 08:59
74	BRS	L79	0	75 and (number near documents!) same vusual\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:03
75	BRS	L80	66	75 and (number near documents!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:00

	Type	L #	Hits	Search Text	DBs	Time Stamp
76	BRS	L81	41	80 and analy\$6 near2 (information or technique or tool or functions! or operations! or operators or processes! or network)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:05
77	BRS	L82	19	81 and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:01
78	BRS	L83	0	75 and vusual\$6 with indicators!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:03
79	BRS	L84	11	75 and visual\$6 with indicators!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:06
80	BRS	L85	1603	databases! and (streams! near data)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:15

	Type	L #	Hits	Search Text	DBs	Time Stamp
81	BRS	L86	431	85 and analy\$6 near2 (information or technique or tool or functions! or operations! or operators or processes! or network)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 09:16
82	BRS	L87	24	86 and visual\$6 with (indicators! or operations! or operators! or functions!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 09:08
83	BRS	L88	0	86 and (output\$6 with visual\$6) with (indicators! or operations! or operators! or functions!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 09:09
84	BRS	L89	1214	(output\$6 with visual\$6) with (indicators! or operations! or operators! or functions!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 09:11
85	BRS	L90	11	85 and 89	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/06/11 09:13

	Type	L #	Hits	Search Text	DBs	Time Stamp
86	BRS	L91	4	90 and analy\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:14
87	BRS	L92	1907	(data adj sources!) same (database or (stream near data))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:16
88	BRS	L93	0	92 and (analy\$6 adj2 (tool or function or operations! or operators or processes! or network)) same (document\$5 adj (id or identifier))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:18
89	BRS	L94	4	(analy\$6 adj2 (tool or function or operations! or operators or processes! or network)) same (document\$5 adj (id or identifier))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:19
90	BRS	L95	1	3 and (analy\$6 adj2 (tool or function or operations! or operators or processes! or network)) same (document\$5 adj (id or identifier))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:20

	Type	L #	Hits	Search Text	DBs	Time Stamp
91	BRS	L96	1	95 and visual\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:21
92	BRS	L97	2	3 and (analy\$6 adj2 (tool or function or operations! or operators or processes! or network)) and (document\$5 adj (id or identifier))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:22
93	BRS	L98	2	97 and visual\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:23
94	BRS	L99	50	(analy\$6 adj2 (tool or function or operations! or operators or processes! or network)) and (document\$5 adj (id or identifier))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:23
95	BRS	L100	28	99 and visual\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:25

	Type	L #	Hits	Search Text	DBs	Time Stamp
96	BRS	L101	28	100 and analy\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:24
97	BRS	L102	5	99 and visual\$5 near6 (graphic\$5 or represent\$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/06/11 09:25